

L Number	Hits	Search Text	DB	Time stamp
-	14	(magnetoresistive and (polish\$3 or etch\$3)	USPAT;	2003/08/28 09:37
	ĺ	and (end-face or (end adj face))).clm.	US-PGPUB;	
-			EPO; JPO;	
			DERWENT;	
	j		IBM TDB	
-	500	(216/22).CCLS.	USPĀT;	2003/07/28 11:58
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	72	(29/603.01).CCLS.	USPAT;	2003/07/28 11:52
			US-PGPUB;	
		·	EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
-	170	(29/603.07).CCLS.	USPAT;	2003/07/28 11:52
		·	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	132	(29/603.13).CCLS.	USPAT;	2003/07/28 11:53
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	250	(29/603.15).CCLS.	USPAT;	2003/07/28 11:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;]
	225	100 100 100 100 100	IBM_TDB	
-	325	(29/603.16).CCLS.	USPAT;	2003/07/28 11:53
		,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	126	(20/603 10) 661.6	IBM_TDB	0000 407 400 44 54
_	126	(29/603.18).CCLS.	USPAT;	2003/07/28 11:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	267	(29/603.12).CCLS.	IBM_TDB USPAT;	2002/07/20 11.57
	.207	(25/005.12/.0015.	US-PGPUB;	2003/07/28 11:57
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	90	((216/22).CCLS.) and (wet adj etch\$3)	USPAT;	2003/07/28 12:04
		((110) 11) to 110 that (weet day econys)	US-PGPUB;	2003/07/20 12:04
]			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	15	((29/603.12).CCLS.) and (wet adj etch\$3)	USPAT;	2003/07/28 11:59
			US-PGPUB;	
			EPO; JPO;	
]			DERWENT;	
			IBM TDB	
-	6	((((((((((((((((((((USPAT;	2003/07/28 12:02
į (with (end-face or (end adj face)))	US-PGPUB;	··- -
		· .	EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
-	72	((216/22).CCLS.) and (polish\$3 or etch\$3)	USPĀT;	2003/07/29 07:45
		with (MR or magneto-resistive or	US-PGPUB;	
		magnetoresistive)	EPO; JPO;	
			DERWENT;	
		1/016/00\ 0070 \	IBM_TDB	
-	14	((216/22).CCLS.) and (polish\$3 and etch\$3)	USPAT;	2003/07/29 07:45
		same (MR or magneto-resistive or	US-PGPUB;	
		magnetoresistive)	EPO; JPO;	
			DERWENT;	
			IBM TDB	

		·		
-	202		USPAT;	2003/08/28 10:07
		magneto-resistive or magnetoresistive)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	27	(polish\$3 and etch\$3) same (MR or GMR or	USPAT;	2003/07/31 11:48
	"	magneto-resistive or magnetoresistive) and	US-PGPUB;	2000,00,00
		((wet adj etch\$3) or wet-etch\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	13		USPAT;	2003/07/29 10:42
		magneto-resistive or magnetoresistive) and acid	US-PGPUB; EPO; JPO;	
		acid	DERWENT;	
			IBM TDB	
_	438	(polish\$3 and etch\$3) same (MR or GMR or	USPAT;	2003/07/29 10:00
		magneto-resistive or magnetoresistive or	US-PGPUB;	
		magnetic or ferromagnetic) same (end or	EPO; JPO;	
	İ	face or side or front)	DERWENT;	
		(1 1 1 2 1 1 1 1 2 1 1 1 1 2 1 1 1 2 1	IBM_TDB	2002/07/20 12 20
-	68	(polish\$3 and etch\$3) same (MR or GMR or magneto-resistive or magnetoresistive)	USPAT; US-PGPUB;	2003/07/29 12:39
	1	same (end or face or side or front)	EPO; JPO;	
		Same (cha of face of figure)	DERWENT;	
1			IBM_TDB	
-	36		USPĀT;	2003/08/28 10:03
		and ((mechanical adj polish\$3) same etch\$3	US-PGPUB;	
	•	same (acid or solution or wet))	EPO; JPO;	·
			DERWENT; IBM TDB	
	1063	(338/32R).CCLS.	USPAT;	2003/07/29 12:38
	1003	(330/3211/.0010.	US-PGPUB;	2003/07/23 12:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	,
-	999	(438/3).CCLS.	USPAT;	2003/07/29 12:38
			US-PGPUB; EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
-	301	((438/3).CCLS.) and (polish\$3 and etch\$3)	USPĀT;	2003/07/29 12:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	27	((338/32R).CCLS.) and (polish\$3 and	IBM_TDB USPAT;	2003/07/29 12:40
	"	etch\$3)	US-PGPUB;	2003,01,23 12.40
		, - ,	EPO; JPO;	÷
			DERWENT;	
ľ			IBM_TDB	0000407400
_	26	1 ((111))	USPAT;	2003/07/29 12:40
		and (manetoresistive or MR or GMR or magneo-resistive)	US-PGPUB; EPO; JPO;	
		magneo-resistive;	DERWENT;	
			IBM TDB	
-	2	("6174736").PN.	USPAT;	2003/07/31 11:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	313	(polish\$3 and etch\$3) same (ferromagnetic	IBM_TDB USPAT;	2003/08/28 09:48
	513	or MR or magneto-resistive or	US-PGPUB;	2000,00,20 09.40
		magnetoresistive)	EPO; JPO;	
i			DERWENT;	
	_		IBM_TDB	
_	8	`	USPAT;	2003/07/31 11:58
		or ("5986858")).PN.	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	

-	208	ferromagnetic.ab. and etch\$3 and polish\$3	USPAT;	2003/07/31 11:59
1			US-PGPUB; EPO; JPO;	
			DERWENT;	
İ			IBM TDB	
-	92	(ferromagnetic and film).ab. and etch\$3	USPĀT;	2003/07/31 12:00
1		and polish\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>	34	(ferromagnetic and film).ab. and (wet adj	IBM_TDB USPAT;	2003/07/31 12:03
	"	etch\$3)	US-PGPUB;	2003/07/31 12:03
		000	EPO; JPO;	
·			DERWENT;	
			IBM_TDB	
-	5	(ferromagnetic).ab. and (polish\$3 same	USPAT;	2003/09/05 18:01
		(wet adj etch\$3))	US-PGPUB;	
	1		EPO; JPO; DERWENT;	
		·	IBM TDB	
_	72	((polish\$3 and etch\$3) and (ferromagnetic	USPAT;	2003/07/31 12:16
1		or MR or magneto-resistive or	US-PGPUB;	
		magnetoresistive)).clm.	EPO; JPO;	
			DERWENT;	
_	1 4	//magnetoregistive or MD) and (magnetoregistive)	IBM_TDB	2002/00/00 00 05
-	14	((magnetoresistive or MR) and (polish\$3 or etch\$3) and (end-face or (end adj	USPAT; US-PGPUB;	2003/08/28 09:37
1		face))).clm.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	7	(magnetoresistive and (polish\$3 and	USPAT;	2003/08/28 09:40
		etch\$3) and (end-face or (end adj	US-PGPUB;	
		face))).clm.	EPO; JPO;	
İ			DERWENT; IBM TDB	
_	1	(magnetoresistive and (polish\$3 and	USPAT;	2003/08/28 09:41
		etch\$3) and (side-face or (side adj	US-PGPUB;	2003/00/20 03.41
		face))).clm.	EPO; JPO;	
			DERWENT;	
	559	//*************************************	IBM_TDB	
_	559	((etch\$3 or polish\$3) and (acid or alkali or caustic or solution)) same	USPAT;	2003/08/28 09:51
		(ferromagnetic or MR or magneto-resistive	US-PGPUB; EPO; JPO;	
		or magnetoresistive)	DERWENT;	
			IBM_TDB	
-	214	((etch\$3 or polish\$3) and (acid or alkali	USPĀT;	2003/08/28 10:01
		or caustic or solution)) with	US-PGPUB;	
		(ferromagnetic or MR or magneto-resistive	EPO; JPO;	
		or magnetoresistive)	DERWENT; IBM TDB	
-	20	BST same (MR or magneto-resistive or	USPAT;	2003/08/28 10:16
1		magnetoresistive)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1_	1	(magnetic adi boad) ti and DCM	IBM_TDB	2002/00/22 12 :5
		(magnetic adj head).ti. and BST	USPAT; US-PGPUB;	2003/08/28 10:45
[EPO; JPO;	
			DERWENT;	
	i		IBM_TDB	
-	259	(1111 02	USPĀT;	2003/08/28 10:09
		magneto-resistive or magnetoresistive) adj	US-PGPUB;	
		film)	EPO; JPO;	
			DERWENT; IBM TDB	
_	174	(polish\$3 or etch\$3) with ((MR or	USPAT;	2003/08/28 10:09
		magneto-resistive or magnetoresistive) adj	US-PGPUB;	,
		film)	EPO; JPO;	
			DERWENT;	
Ll			IBM_TDB	

-	116	<pre>(polish\$3 or etch\$3) near3 ((MR or magneto-resistive or magnetoresistive) adj film)</pre>	USPAT; US-PGPUB; EPO; JPO;	2003/08/28 10:09
			DERWENT; IBM_TDB	
-	35	magneto-resistive or magnetoresistive) adj	USPĀT; US-PGPUB; EPO; JPO;	2003/09/05 16:22
		film)	DERWENT; IBM TDB	-
-	382	BST same perovskite	USPĀT; US-PGPUB;	2003/08/28 10:16
-			EPO; JPO; DERWENT; IBM TDB	
_	1241	<pre>(polish\$3 or etch\$3) same (air-bearing or (air adj bearing))</pre>	USPĀT; US-PGPUB;	2003/08/28 10:23
			EPO; JPO; DERWENT; IBM TDB	
_	110	((polish\$3 or etch\$3) same (air-bearing or (air adj bearing))) and (mr adj film)	USPĀT; US-PGPUB;	2003/08/28 10:24
			EPO; JPO; DERWENT; IBM TDB	
	70	(magnetic adj head).ti. and (abs same polish\$3 and etch\$3)	USPĀT; US-PGPUB;	2003/08/28 12:50
			EPO; JPO; DERWENT; IBM TDB	
-	17	"4226018" "4536992" "4759118"	USPAT	2003/08/28 10:56
		"4785366" "4912883" "4914868" "5065483" "5095613" "5136775" "5203119" "5206590" "5224304"		
-	52	"5463805" "5603156").PN. (magnetic adj head).ti. and (abs with	USPAT;	2003/08/28 12:56
		etch\$3)	US-PGPUB; EPO; JPO; DERWENT;	
_	119	(magnetic adj head).ti. and ((air adj	IBM_TDB USPAT;	2003/09/05 14:42
		bearing) with polish\$3 and etch\$3)	US-PGPUB; EPO; JPO; DERWENT;	
-	11	(magnetic adj head).ti. and ((air adj	IBM_TDB USPAT;	2003/08/28 13:00
		bearing) with polish\$3 with etch\$3)	US-PGPUB; EPO; JPO; DERWENT;	
_	. 0	(magnetic adj head).ti. and ((air adj bearing) with polish\$3 with acid)	IBM_TDB USPAT; US-PGPUB;	2003/08/28 13:01
			EPO; JPO; DERWENT;	
-	0	(magnetic adj head).ti. and ((abs) with polish\$3 with acid)	IBM_TDB USPAT; US-PGPUB;	2003/09/05 14:43
		1327	EPO; JPO; DERWENT;	
-	165	(magnetic adj head).ti. and ((air adj bearing) with polish\$3)	IBM_TDB USPAT; US-PGPUB;	2003/09/05 14:44
			EPO; JPO; DERWENT;	
-	3	(magnetic adj head).ti. and ((abs) with polish\$3)	IBM_TDB USPAT; US-PGPUB;	2003/09/05 14:43
	·		EPO; JPO; DERWENT; IBM TDB	
	1	1		l

-	157	(magnetic adj head).ti. and (((air adj	USPAT;	2003/09/05 14:55
		bearing) or abs) with polish\$3) and (acid	US-PGPUB; EPO; JPO;	
		or etch\$3 or TMAH)	DERWENT;	
		•	IBM TDB	
<u> </u>	169	(magnetic adj head).ti. and (((air adj	USPAT;	2003/09/05 16:51
_	109	bearing) or abs) same polish\$3) and (acid	US-PGPUB;	2003,03,03 10.31
		or etch\$3 or TMAH)	EPO; JPO;	
		or cecura or man,	DERWENT;	
			IBM TDB	
-	4	(magnetic adj head).ti. and (((air adj	USPĀT;	2003/09/05 14:55
		bearing) or abs) same polish\$3) and (TMAH)	US-PGPUB;	
	İ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/05 16 56
-	55		USPAT;	2003/09/05 16:56
		or magnetoresistive) adj film)	US-PGPUB;	
			EPO; JPO; DERWENT;	
	•		IBM TDB	
l _	2	("6497611").PN.	USPAT;	2003/09/05 16:48
_	[045,011 /.18.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	19	1 ()	USPĀT;	2003/09/05 17:00
		bearing) or abs) same CMP)	US-PGPUB;	
			EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	0000/00/05 10:14
-	20	, , , , , , , , , , , , , , , , , , ,	USPĀT;	2003/09/05 18:14
		magnetoresistive) adj film)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	261	(magnetic adj head).ti. and (etching same	USPAT;	2003/09/05 17:01
	202	(abs or air-bearing or (air adj bearing)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	1	USPAT;	2003/09/05 18:20
		etching) same (abs or air-bearing or (air	US-PGPUB;	
		adj bearing)))	EPO; JPO;	
		·	DERWENT;	
	330	(magnetic add head) to and (atches are	IBM_TDB USPAT;	2003/09/05 17:01
-	329	(magnetic adj head).ti. and (etch\$3 same (abs or air-bearing or (air adj bearing)))	US-PGPUB;	2003/03/03 17:01
		(and of all boaring of (all ad) bearing)))	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	193	(magnetic adj head).ti. and (etch\$3 with	USPĀT;	2003/09/05 17:07
	1	(abs or air-bearing or (air adj bearing)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(#6437010#) 791	IBM_TDB	2002/00/05 17 07
-	2	("6477019").PN.	USPAT; US-PGPUB;	2003/09/05 17:07
			EPO; JPO;	
]		DERWENT;	
1			IBM TDB	
-	4198	(ferromagnetic same (acid or hydroxide))	USPAT;	2003/09/05 18:12
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	17	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/09/05 18:15
		same (acid or hydroxide))	US-PGPUB;	
1]		EPO; JPO;	
1	:		DERWENT;	
	L		IBM_TDB	l

_	4	(ferromagnetic same (acid or hydroxide))	USPAT:	2003/09/05 18:13
1		and (MR adj film)	US-PGPUB;	2003,03,03 18.13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	631	(ferromagnetic same (acid or hydroxide))	USPAT;	2003/09/05 18:14
	Ì	and (magnetic adj head)	US-PGPUB;	
	ļ		EPO; JPO;	
			DERWENT;	
_	,,		IBM_TDB	
_	17	(magnetic adj head).ti. and ((wet adj	USPAT;	2003/09/05 18:20
		etching) same MR)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	20	(magnetic adj head).ti. and ((wet adj	IBM_TDB	
	[20]	etch\$3) same MR)	USPAT;	2003/09/05 18:20
		ecchys) same MK)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
			I TOM LOB	